UTAH DIVISION OF OIL AND GAS CONSERVATION FILE X WATER SANDS_ LOCATION INSPECTED SUB. REPORT/abd. ELECTRIC LOGS_ 12-9-71 DATE FILED PUBLIC LEASE NO. U-5154 LAND: FEE & PATENTED STATE LEASE NO. INDIAN 12-10-71 DRILLING APPROVED: SPUDDED IN: PUT TO PRODUCING: COMPLETED: INITIAL PRODUCTION: GRAVITY A.P.I. GOR: PRODUCING ZONES: TOTAL DEPTH: WELL ELEVATION: DATE ABANDONED: 3/86 Wildcat FIELD: UNIT: Garfield COUNTY: 43-017-30045 COLLETT UNIT FEDERAL #4 APT. NO: WELL NO. CNENE 17 FT. FROM (N)XX LINE, 660 FT. FROM (E) (XXX LINE. 660 14-14 SEC. LOCATION SEC. RGE. OPERATOR: TWP. RGE. **OPERATOR** TWP. SEC.

36 S

5 E

17

GULF OIL CORPORATION

3-17/ Apper De La Drui Sermented

FILE NOTATIONS				
Entered in NID File .ocation Map Pinned Card Indexed	Checked by Chief Pwb Approval Letter Disapproval Letter			
COMPLETION DATA:				
Date Well Completed	Bond released State or Fee Land			
W TA				
'GW OS PA				
LOGS	FILED			
Driller's Log				
Electric Logs (Mo.)				
E I Dual I Lat.	GR-N Micro			
BHC Somie CR Lat	. Mi-L Scric			
CBLog CCLog Otl	ners			

Jan 90

Gulf Oil Company-U.S.

HOBBS PRODUCTION AREA

C. D. Borland
AREA PRODUCTION MANAGER

December 7, 1971

P. O. Box 670 Hobbs, New Mexico 88240

U. S. G. S. 8416 Federal Building 125 South State Street Salt Lake City, Utah 84116

Gentlemen:

Attached is Form 9-331C, "Application for Permit to Drill" our Garfield "C" Federal No. 1, located 660' FS & WL, Section 10, 31-S, 13-E and our Collett Unit Well No. 4, located 660' FN & EL, Section 17, 36-S, 5-E, Garfield County, Utah.

These are wildcat wells which will be drilled as "tight holes" and we would appreciate the information on the attached forms and also future data which will be submitted be considered as confidential for as long as the rules permit.

Yours truly,

C /D BORTAND

lwd:
att'd.

cc: Utah Oil & Gas Conservation Commission

K. L. Collins

H. E. Braunig, Jr.



SUBMIT IN T (Other instructions on reverse side) UNITED STATES

Budget Bureau No. 42-R1425.

1 K.

DEPARTMENT OF THE INTERIOR					5. LEASE DESIGNATION AND SERIAL NO.	
GEOLOGICAL SURVEY					U-5154	
	N FOR PERMIT T	O DRILL, DEE	PEN, OR PLUG	BACK	6. IF INDIAN, ALLOTTEE OR TRIBE NAME	
1a. TYPE OF WORK	ILL X	DEEPEN	PLUG BA	ск 🗀	7. UNIT AGREEMENT NAME	
b. TYPE OF WELL			. 200 5/		Collett Unit	
OIL GAS SINGLE MULTIPLE ZONE ZONE					S. FARM OR LEASE NAME	
2. NAME OF OPERATOR						
Gulf Oil Com	9. WELL NO.					
a Tillian de la companya de la comp					10. FIELD AND POOL, OR WILDCAT	
Box 670, Hobbs, New Mexico 88240 4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*)					Wildcat	
At surface					11. SEC., T., R., M., OR BLK.	
660' FN & EL, Section 17, 36-S, 5-E					AND SURVEY OR AREA	
At proposed prod. zone					Sec 17, 36-S, 5-E	
14. DISTANCE IN MILES	AND DIRECTION FROM NEAR	EST TOWN OR POST OF			12. COUNTY OR PARISH 13. STATE	
					Garfield Utah	
15. DISTANCE FROM PROPO LOCATION TO NEARES:		16.			OF ACRES ASSIGNED THIS WELL	
PROPERTY OR LEASE I (Also to nearest drig	LINE, FT.	į			40	
18. DISTANCE FROM PROPOSED LOCATION* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT.		19.	19. PROPOSED DEPTH		20. ROTARY OR CABLE TOOLS Rotary	
21. ELEVATIONS (Show whether DF, RT, GR, etc.)			41	22. APPROX. DATE WORK WILL START*		
23.				1 1	January 14, 1972	
20.	P	ROPOSED CASING A	ND CEMENTING PROGR	AM		
SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	_	QUANTITY OF CEMENT	
12-1/4"	8-5/8*	21;#	2000'	200 s	sacks	
7-7/8"	*5-1/2 th	1\1#	30001	<u>300 s</u>	sacks	
* If product	PLEASE CONS		ORMATION CONFIDE	12	spudding.	
					회사 기가 있는 사람들은 보다 하는 것이 없다.	
, ,						
				ြို့ရှုံး ရှိသြို့ မြို့ရှဲ့ ရသည် မျှင်သည်။ ဒီသြို့ရေးများ သို့သည် သည်		
IN ABOVE SPACE DESCRIBE zone. If proposal is to preventer program, in an 24.	drill or deepen directional	lly, give pertinent dat	r plug back, give data on pa on subsurface locations a	nd measure	ductive zone and proposed new productive d and true vertical depths. Give blowout DATE December 7, 1971	
(This space for Fede	eral or State office use)			:		
1/2	-017-30045			i.		
PERMIT NO	-011-00093		APPROVAL DATE			
				•	TO THE TAKEN TO SEE THE TAKEN THE TA	
CONDITIONS OF APPROV	AL, IF ANY:	TITLE			A SE CO SE	

December 10, 1971

Gulf Oil Corporation Box 670 Hobbs, New Mexico 88240

> Re: Well No. Garfield "C" Federal 1 Sec. 10, T. 31 S, R. 13 E, Well No. Collett Unit Federal 4 Sec. 17, T. 36 S, R. 5 E, Garfield County, Utah

Gentlemen:

Insofar as this office is concerned, approval to drill the above mentioned wells is hereby granted. Said approval is, however, conditional upon the following:

- 1. Surveyor's plats of the proposed location forwarded to this office.
- 2. Written notification as to the type of blowout prevention equipment to be installed on said wells, and, subsequent testing procedures for same.

Should you determine that it will be necessary to plug and abandon these wells, you are hereby requested to immediately notify the following:

PAUL W. BURCHELL - Chief Petroleum Engineer HOME: 277-2890 OFFICE: 328-5771

Enclosed please find Form OGC-8-X, which is to be completed whether or not water sands (aquifers) are encountered during drilling.

The API numbers assigned to these wells are: Collect Unit Fed. 4 - 43-017-30045 and Garfield "C" Fed. 1 - 43-017-30044.

Very truly yours,

DIVISION OF OIL AND GAS CONSERVATION

CLEON B. FEIGHT DIRECTOR

Branch of Oil and Gas Operations 8416 Federal Building Salt Lake City, Utah 84111

January 13, 1972

Gulf Oil Corporation P.O. Box 670 Hobbs, New Mexico 88240

Re: Well No. 4 Collett Unit
NEZNEZ sec. 17-36S-5E, SLM
Well No. 5 Collett Unit
SWZNWZ sec. 20-36S-5E, SLM
Garfield County, Utah
Lease U 5154

Gentlemen:

Enclosed are your copies of the Applications for Permit to Drill the referenced wells which were approved by this office on January 12, 1972.

It is understood that the surface casing specified for well No. 4, i.e., 2000' of 8 5/8" casing will be adjusted to approximately 300' of surface casing. It is also understood that it may be necessary to adjust the surface location of the wells somewhat after consultation with the Bureau of Land Management and after the locations are surveyed.

Would you please advise this office, before drilling, concerning the type and API series of blowout preventer equipment to be used along with the BOPE testing procedures and frequency of tests Gulf specified for these wells.

Sincerely,

(ORIG. SGD.) G. R. DANIELS

Gerald R. Daniels, District Engineer

cc: Casper

State of Utah (Div. Oil & Gas Cons.)

Gulf Oil Company-U.S.

HOBBS PRODUCTION AREA

C. D. Borland
APLA PRODUCTION MANAGES

April 25, 1972

P. O. Box 670 Hobbs, New Mexico 88240

Re: Collett Unit Federal Nos. 4 & 5 Sections 17 and 20, T-36S, R-5E

Garfield County, Utah

State of Utah Division of Oil & Gas Conservation 1588 West North Temple Salt Lake City, Utah 84116

Attention: Mr. Cleon B. Feight, Director

Dear Sir:

Confirming telephone conversation this date, Gulf may drill one or both of subject wells late in 1972 and would like for the drilling permits to remain active. You will be advised regarding our plans prior to commencing any field work.

Your cooperation in this matter is greatly appreciated. If we can be of any service to you, please advise.

Yours very truly,

C. D. BORLAND

Area Froduction Manager

CDB:ptg



Branch of Oil and Gas Operations 8416 Federal Building Salt Lake City, Utah 84111

June 27, 1972

Gulf Oil Corporation P. O. Box 670 Hobbs, New Mexico 88240

> Re: Well No. 4 Collett Unit NEZNEZ sec. 17-36S-5E, SLM

> > Well No. 5 Collett Unit SW\2NW\2 sec. 20-36S-5E, SIM

Garfield County, Utah Oil & Gas lease U 5154

Gentlemen:

Our records show that we approved your Applications for Permit to Drill the referenced wells on January 12, 1972. Our records also show the Collett unit agreement terminated effective June 1, 1972.

Therefore this is to advise that our approval of the Applications for Permit to Drill the referenced wells is hereby revoked without prejudice to drilling at these locations in the future. If you wish to drill the wells at some time in the future, it will be necessary to file new Applications for Permit to Drill.

Sincerely,

(ORIG. SGD.) G. R. DANIELS

Gerald R. Daniels, District Engineer

cc: State Div. O&G Cons.

Program.

March 1, 1974

Gulf Oil Corporation Box 670 Hobbs, New Mexico 88240

Re: Well No's:

Collett Unit #4,

Sec. 17, T. 36 S, R. 5 E,

Collett Unit #5,

Sec. 20, T. 36 S, R. 5 E,

Garfield County, Utah

Gentlemen:

Upon checking our records, it is noted that there have been no operations conducted on the above referred to well site to date.

Therefore, the approvals granted in our letters of December 10, 1971 and December 20, 1971, respectively, is hereby terminated. If and when you should decide to drill this well, it will again be necessary for you to obtain the approval of this Division.

Very truly yours,
DIVISION OF OIL AND GAS CONSERVATION

CLEON B. FEIGHT DIRECTOR

CBF:sd



Gulf Oil Company-U.S.

PRODUCTION DEPARTMENT HOBBS AREA

C. D. Borland
AREA PRODUCTION MANAGER

P. O. Box 670 Hobbs, New Mexico 88240

March 6, 1974

Re: Well No's:

Collett Unit #4,

Sec. 17, T. 36 S, R. 5 E,

Collett Unit #5,

Sec. 20, T. 36 S, R. 5 E,

Garfield County, Utah

Mr. Cleon B. Feight, Director Division of Oil & Gas Conservation State of Utah 1588 West North Temple Salt Lake City, Utah 84116

Dear Sir:

With reference to your letter of March 1, 1974, this is to advise that the file on the subject wells can now be closed.

As a result of the termination of the Collett Unit, the proposed Collett Unit No. 4 was renamed Richardson Federal No. 1, was located 1760° FNL and 205° FEL of Section 17, T 36S, R 5E, SIM, Garfield County, Utah, and was completed as a dry hole on August 30, 1973.

Likewise, Collett Unit No. 5 was renamed Champlin Federal No. 1, was located 1119 FNL and 930 FWL of Section 20, T 36 S, R 5 E, SIM, Garfield County, Utah, and was completed as a dry hole on July 22, 1973.

Thank you for bringing this to our attention.

Yours very truly,

C. D. B ORLAND

CDB:ptg

cc: Don Gilkison

